

Health Connection

A PUBLICATION OF LAKEWAY REGIONAL HOSPITAL

Meet our doctors

Bouncing back from back pain

New procedure
offers relief

You've found a breast lump: Now what?

Easing the sneezing

Surviving cold
and flu season

Number crunching

Managing
high cholesterol

You've found a breast lump: Now what?

If the thought of finding a lump in your breast scares you, you're not alone. After all, many of us know someone who has had breast cancer. But some of us are so frightened that we avoid getting mammograms—the very habit that could save our lives if breast cancer develops. If you're in that group, you'll be glad to hear that four in five breast lumps turn out to be noncancerous. Here's a description of some common breast conditions:

Fibroadenoma: a smooth, solid, round painless lump that moves easily and can feel like a marble. Occurs most often in African-American women and women under age 30.

Fibrocystic breast changes: solid or fluid-filled lumps that

increase in size and tenderness five to seven days before each menstrual period.

Cyst: a smooth, fluid-filled lump often sensitive to the touch before the menstrual period. Typically appears in women between ages 35 and 50.

Lipoma: a soft and slow-growing painless lump that moves freely.

Intraductal papilloma: a small, wartlike growth near the nipple that may cause bleeding from the nipple. Occurs most often in women in their 40s.

Mammary duct ectasia: a thick, sticky, gray to green discharge from the nipple.

Mastitis: a warm, tender, lumpy area on the breast that appears red. Most often affects breast-feeding women.

Traumatic fat necrosis: painless, round, firm lumps that can result from a bruise or a blow to the breast. Occurs in older women and women with large breasts.

WHAT HAPPENS IF YOU FIND A LUMP?

If you find a lump, see your healthcare provider. He or she will do a clinical breast exam and may recommend one or more of the following tests and procedures:

Mammography, or breast X-ray, may be recommended to determine the lump's size and location.

Ultrasound examination can determine whether the lump is a fluid-filled cyst or a solid mass.

Fine-needle aspiration is an in-office procedure. Fluid is drawn out of the lump with a thin needle. If the fluid is clear and the cyst disappears, you won't need a biopsy. If the fluid is bloody or the mass is solid, your doctor probably will recommend biopsy.

Stereotactic biopsy removes a small tissue sample with a thin needle for analysis. Computerized imaging guides the needle with pinpoint accuracy to the exact location to be sampled.

Surgical biopsy usually is performed on an outpatient basis. Normally, the surgeon removes the whole lump, but in certain cases he or she will remove only part of it. The tissue is sent to a lab where a pathologist will examine it for cancerous cells.



The good news:
Four out of five
breast lumps turn out
to be noncancerous.



IF PREVENTION DOESN'T WORK

Both a cold and the flu typically involve a runny nose, sneezing, sore throat, cough and fatigue, but only flu characteristically features headache, high fever and that all-over-achy feeling.

Some people are at higher risk for complications from the flu than others and should get prompt medical care instead of trying to self-treat. These include:

- people over age 65
- children and adults with a chronic health condition, such as asthma or diabetes, or a weakened immune system
- pregnant women
- infants and young children
- anyone who lives with children or others at high risk
- healthcare workers and caregivers who are in contact with children or others at high risk

Prescription antiviral medications such as oseltamivir (brand name: Tamiflu) can help shorten the duration of the flu and prevent you from getting sicker if taken within the first 48 hours of symptoms.

If symptoms suddenly worsen, linger more than a week and are accompanied by a dry, hacking cough, the flu might have developed into viral pneumonia. Thick, rust-colored mucus along with a cough may signal bacterial pneumonia. Both types of pneumonia require medical attention.

Easing the sneezing

Surviving cold and flu season

Autumn is almost upon us. Soon it will be time to rake the leaves, pull out the sweaters and pray the kids don't catch something at school that knocks the whole family out of commission for a week.

But with a few simple precautions, parents and children can keep colds and flu away—or at least from spreading. Here are some basic tips to avoid getting sick, whether you're 2 years old or 90:

- Wash your hands several times a day with soap and water—and even more frequently if you're around anyone with a cold.
- Keep your hands away from your eyes, nose and mouth.
- Cover your mouth and nose with a disposable tissue when you sneeze or cough. Then wash your hands.
- Protect and strengthen your immune system by getting enough rest, exercising regularly and eating a healthy diet that includes lots of fruits and vegetables.
- Don't share eating utensils or drinking glasses.
- Avoid crowds of people where germs may spread.
- Most important: Keep annual flu vaccinations up to date.

Call your pediatrician or primary care provider if ...

Your sick child has any of these symptoms:

- labored breathing, often signaled by the abdomen rising and falling dramatically
- a fever of approximately 102° F that acetaminophen (brand name: Tylenol) can't control or that's present for more than three days
- inconsolable crying or irritability
- blood in vomit or stool
- recurring vomiting or loose stools
- greatly diminished food or fluid intake
- pulling or tugging at the ears, which may indicate an ear infection



Relief from back pain

New procedure corrects spinal fractures



therapies may help decrease a patient's pain, they don't treat the deformity caused by the fractures.

Balloon kyphoplasty repairs vertebral compression fractures and restores the vertebrae to the correct position, thereby reducing back pain and the number of days in bed, significantly improving mobility and increasing overall quality of life.


Each year, 700,000 people suffer from osteoporosis-related spinal fractures, according to the National Osteoporosis Foundation. More than 400,000 of these fractures go undiagnosed and untreated, due in part to lack of knowledge about the disease and its treatment options.

"The quicker we can get to a patient, the better," says Dennis Harris, M.D., of Advanced Spine and Rehabilitation Center. "The fracture must be recent."

The procedure generally takes less than one hour per fracture and can be performed under local or general anesthesia. In most cases, Medicare covers balloon kyphoplasty, as may other insurance companies.

"This procedure is so important to our community and will allow many adults to return to a normal life," says Priscilla Mills, CEO, Lakeway Regional Hospital. "We are pleased to be able to offer it to potential patients."

Although the complication rate with balloon kyphoplasty is low, there are risks associated with every surgical procedure. Patients should consult with their doctor for a full discussion of the risks and benefits.



Each year more than 700,000 people suffer from spinal fractures like the one shown above.

Lakeway Regional Hospital is proud to be first in the area to offer balloon kyphoplasty, a minimally invasive treatment option for patients suffering from osteoporosis-related spinal fractures.

Osteoporosis is a disease that can cause the bones of the spine to weaken and collapse. The resulting fractures, left untreated, can result in kyphosis—a serious condition marked by a forward curvature of the upper back, also called a dowager's hump. Kyphosis is painful and debilitating and makes walking, eating, sleeping and even breathing painful and difficult. Long term, the condition can be fatal. Traditional treatment for spinal fractures includes bed rest, medication and back bracing. While these

Learn more!

For more information about balloon kyphoplasty, call Dr. Harris at (423) 581-3939.

You don't think much about lifesaving technology. Until it actually saves your life.



er. Emergencies can happen anytime, anywhere. Good thing we bring the care you need close to home – with a caring and responsive staff, advanced medical technology and, of course, the compassion and respect you deserve. In an emergency, you should know that the right care from the right people is always right here.

LAKEWAY
REGIONAL HOSPITAL

Quality Care. Right Here.
726 McFarland Street • Morristown, Tennessee
423-522-6000
www.lakewayregionalthospital.com

HEALTHWISE QUIZ

How much do you know about Alzheimer's disease?

Take this quiz to find out.

1

Which example of memory loss may be a sign of Alzheimer's disease?

- a. forgetting where your keys are
- b. forgetting what month and year it is
- c. forgetting the name of a person you just met
- d. forgetting to return a phone call

2

British researchers have recently learned that drinking this beverage can inhibit enzymes associated with the development of Alzheimer's:

- a. orange juice
- b. coffee
- c. tea
- d. white wine

3

All the following may be early warning signs of Alzheimer's *except*:

- a. speaking in jumbled sentences
- b. getting lost in familiar areas
- c. having rapid mood swings for no apparent reason
- d. losing sense of balance or experiencing vertigo

4

Which health condition is suspected of increasing the risk of Alzheimer's?

- a. yo-yo dieting
- b. high blood pressure
- c. asthma
- d. low bone density

5

Which is the most misdiagnosed mental disorder in older adults?

- a. Alzheimer's disease
- b. depression
- c. anxiety attacks
- d. insomnia

ANSWERS: 1. B, 2. C, 3. D, 4. B, 5. A

NUMBER CRUNCHING

Managing high cholesterol



The bad news: High cholesterol plays a key role in whether you develop heart disease or suffer a heart attack or stroke. Excess cholesterol, a waxy, fatlike substance in your blood, builds up on artery walls, reducing blood flow. The good news: You can do something about it.

Many factors contribute to high cholesterol. While you can't change your genes, age or gender—which all affect cholesterol—you can take the following steps to improve your cholesterol levels and your health.

To lower your LDL, or bad, cholesterol and raise your HDL, or good, cholesterol:

- **Eat smart.** Saturated fat and trans fats raise LDL cholesterol levels. Instead, use polyunsaturated or mono-unsaturated fats like olive, safflower, sesame, soybean, canola and peanut oils. Eat no more than six ounces of lean meat, fish or skinless poultry a day. Choose plenty of fruits, vegetables and whole-grain foods. Switch to fat-free or low-fat dairy products and increase soluble fiber found in foods like oats, beans and citrus fruits.
- **Get regular exercise**—at least 30 to 60 minutes of physical activity a day.
- **If you smoke, quit.** Smoking lowers HDL cholesterol and increases the blood's tendency to clot.
- **Consider medication.** If lifestyle changes aren't enough, your healthcare provider may prescribe cholesterol-lowering drugs.

Leveling off your numbers

Aim for these desired cholesterol levels. If you already have heart disease or other risk factors, your doctor may set different goals for you.

Total cholesterol less than 200 mg/dL

HDL cholesterol greater than 50 mg/dL

LDL cholesterol less than 100 mg/dL

Triglycerides less than 150 mg/dL

Bad breaks

First aid for broken bones

If your child were to take a spill from a bike or your best friend turned an ankle while stepping off the curb and you suspected a bone is broken, would you know what to do? Try taking these actions:

- **Determine whether you need emergency help.** All fractures will need medical attention, but call for emergency help if the injury involves the head, neck, back, pelvis or upper leg; there's heavy bleeding; bone has pierced the skin; or a toe or finger on the injured arm or leg is numb or blue at the tip. Also, call for help if you can't transport the injured person by car because he or she can't sit upright or use safety or seat belts.
- **Remove clothing from the injured part.** Use scissors to cut clothing away; don't try to pull the limb out of clothes.
- **Stop any bleeding.** Use a sterile bandage or clean cloth



and apply constant pressure to the wound. Have the person lie down and don't wash the wound or poke the bone back into the skin.

- **Make a splint.** Keep the limb in the position you find it. Place soft padding around the injury with something firm (like a board or rolled-up newspaper) next to it, using first-aid tape. Make sure the splint extends past the joints above and below the injury.
- **Apply cold packs.** Wrap ice in a towel and place it on the injured area to control swelling and pain until help arrives.

In case of emergency ... We're here for you

There's no telling when an accident or a sudden illness will occur. But when it does happen, turn to us, the clear choice for emergency assistance. Our emergency department provides patients with fast, dedicated and compassionate care. What's more, our ER is backed and supported by an entire hospital dedicated to helping you get well.

In an emergency, every second counts. Call us for emergency help anytime you suspect someone needs urgent care.



The whole-grain truth

Think outside the breadbox to include more healthy foods in your diet

Grains like wheat, rice, oats and corn are a staple in the American diet and for much of the world. Whole grains

and foods made from whole grains are an important source of fiber, vitamins, minerals and other nutrients. When refined grains like white flour and white rice are processed, much of the fiber and nutrients are lost.

Eating more whole grains can help you lower cholesterol and control your weight, reducing risk of heart disease, stroke, diabetes, gastrointestinal problems and cancer. Aim to eat at least three servings of whole grains each day. The earthy, nutty flavors and chewy textures are a great way to add a new dimension to your menu. Whole-grain breads, cereals, tortillas and crackers are just the beginning. Explore a variety of whole grains like barley, groats, wheat berries, buckwheat, triticale, bulgur, millet and quinoa.

HOP ABOARD THE GRAIN TRAIN

Upping your intake of whole grains is easier than you think. Try making some of these simple diet switches:

- Start your day with a bowl of bran flakes, shredded wheat or oatmeal.
- Buy whole-grain breads, bagels, rolls, tortillas, muffins, waffles and pancakes.
- Substitute rolled oats or crushed bran flakes for bread crumbs in recipes.
- Switch to whole-wheat pasta.
- Bypass the potatoes and try bulgur, barley, quinoa or brown or wild rice.
- Snack on un buttered popcorn or whole-wheat crackers or pretzels.
- Substitute barley or brown or wild rice for pasta or noodles in soups, stews, casseroles and salads.
- Use whole-wheat pastry flour in place of much of the all-purpose flour in recipes.

THE RIGHT DOCTORS FOR YOUR FAMILY

The experienced, dedicated physicians of Lakeway Regional Hospital can help your family stay healthy. We'd like to introduce you to two of them.



BONNIE BURNETTE-VICK, M.D.
Family Medicine

HealthStar Physicians
420 West Morris Blvd., Suite 400B
Morristown
(423) 586-2410

Bonnie Burnette-Vick, M.D., a board-certified family practice physician, takes pride in treating patients of all ages, from pediatrics to adults to geriatrics. Her office's goal is to provide individual care to each patient she sees.

Dr. Burnette-Vick's experience is an asset to her position as codirector of Lakeway Regional Hospital's Rehab Center, where she has served for five years. Her role there is to oversee the total care of patients, helping to create a bridge between the hospital and their return home. Her professionalism and expertise allow her to offer Rehab Center patients a high level of care.

Dr. Burnette-Vick is a graduate of East Tennessee State University, James H. Quillen College of Medicine. She completed her residency and internship at the Kingsport Family Practice Center in Kingsport.



ERIC HASEMEIER, D.O.
Family Medicine

Lakeway Family Clinic
921 W. 4th St.
Morristown
(423) 586-1818

In May, we welcomed Eric Hasemeier, D.O., a board-certified family physician, to the Lakeway area. We are very fortunate to have his expertise in family medicine and diabetes available in our area.

He treats patients from 1 month to 120 years old, although his practice is geared more toward adult medicine and modeled on an internal medicine practice.

Dr. Hasemeier is open and honest with his patients. He and his staff express the mission of their office as "Providing care with compassion, dignity and respect!" Dr. Hasemeier focuses on a patient-centered, one-on-one approach with patients. His goal is to discuss with patients their diagnoses and allow them to participate in their treatment plans.

Dr. Hasemeier received his MBA at the University of South Carolina and graduated from medical school at the University of North Texas. He was recently chosen by the Consumers' Research Council of America as one of America's top family doctors.

70LRH



Lakeway Regional Hospital
726 McFarland St.
Morristown, TN 37814

PRSR STD
U.S. POSTAGE
PAID
Lebanon Junction, KY
Permit 19

SUMMER 2006

Health Connection

Health Connection is published as a community service of Lakeway Regional Hospital. There is no fee to subscribe.

The information contained in this publication is not intended as a substitute for professional medical advice. If you have medical concerns, please consult your healthcare provider.

Copyright © 2006 Lakeway Regional Hospital